

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION,

May 31, 2011

Mr. Erik W. Johansen Special Pesticide Registration Program Coordinator State of Washington Dept. of Agriculture P.O. Box 42560 Olympia, WA 98504-2560

Subject:

Registration Action Under Section 24(c) of the Federal Fungicide, Rodenticide and Insecticide

Act to revise labeling for the use of Prozap Zinc Phosphide pellets (EPA Reg. No. 61282-49) on cottonwood/hybrid poplar plantations and adjacent non-crop areas to control voles.

EPA SLN No.

WA-050016

Submission Date:

May 4, 2011

Dear Mr. Johansen,

This will acknowledge receipt of your notification to the Agency of a registration, pursuant to Section 24(c) of the Federal, Insecticide, Fungicide, and Rodenticide Act, as follows:

Product	Zinc Phosphide
EPA Registration Number	61282-49
24(c) Registrant:	HAACO, Inc. 110 Hopkins Drive Randolph, WI 53956

The Agency has determined that the subject amendment to the Special Local Need (SLN) registration as requested for the revision of labeling to be consistent with Federal label, and with current WSDA requirements is acceptable.

If you have any questions please contact Princess Campbell at (703) 308-8033.

ALIA.

Sincerely,

John Hebert

Acting Branch Chief

Risk Integration, Minor Use and Emergency

Response Branch

Registration Division (7505P)



STATE OF WASHINGTON DEPARTMENT OF AGRICULTURE

PO Box 42560 • Olympia, Washington 98504-2560 • http://agr.wa.gov • (360) 902-1800

May 4, 2011

Debra Rate, Team Leader (Team 9)
Risk Integration, Minor Use, and Emergency Response Branch
U.S. EPA Office of Pesticide Programs (7505 P)
Room S4900, One Potomac Yard
2777 Crystal Drive
Arlington, VA 22202

RE: EPA SLN Reg. Number WA-050016

Dear Debra,

Enclosed is revised labeling for Washington Special Local Need (SLN) registration number WA-050016 issued to HACCO for the use of Prozap Zinc Phosphide Pellets (EPA Reg. No. 61282-49) on cottonwood / hybrid poplar plantations and adjacent non-crop areas to control voles.

This SLN registration was revised to be consistent with the federal label, and with current WSDA requirements. The SLN registration will expire on December 31, 2016.

If you have any questions, please contact me at (360) 902-2078 or by e-mail at ejohansen@agr.wa.gov.

Sincerely,

PESTICIDE MANAGEMENT DIVISION

Erik W. Johansen

Special Pesticide Registration Program Coordinator

enclosures

cc: Jennifer Seifert, HACCO

RESTRICTED USE PESTICIDE

DUE TO HAZARD TO NON-TARGET SPECIES

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

SUPPLEMENTAL LABELING

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON

Prozap[®] Zinc Phosphide Pellets

EPA Reg. No. 61282-49 EPA SLN No. WA-050016

DIRECTIONS FOR USE:

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA registered label.

CROP/SITE:

Cottonwood / hybrid poplar plantations and adjacent non-crop areas.

PESTS:

 Meadow voles (Microtus pennsylvanicus), mountain voles (M. montanus), long-tailed voles (M. longicaudus), and Oregon voles (M. Oregoni).

APPLICATION METHODS/RATE/TIMING:

• **Broadcast Baiting:** This product may be applied broadcast by aircraft, cyclone seeders, or by hand. When applying bait by hand (wear rubber gloves during hand broadcast applications) throw tablespoon amounts into heavy cover along the tree rows. Apply bait at rates of 5 to 10 pounds of bait per acre. Apply the product where infestations are known to be present and where there is sufficient cover to hide the pellets from plain view.

RESTRICTIONS / PRECAUTIONS:

- Do not apply to bare ground.
- This product is toxic to wildlife and fish. Birds and other wildlife feeding on treated pollets may be killed. Do not apply to open ground, roads and areas in which no vegetation occurs. Pick up and properly dispose of all spilled toxic pellets. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff from this product will enter an aquatic system. Do not contaminate water when disposing of equipment washwaters. Check for and dispose of excess or spoiled pellets and carcasses daily until the pellets are expended or are removed.

- Prozap® Zinc Phosphide Pellets should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the WSDA Endangered Species Program web site at http://agr.wa.gov/PestFert/NatResources/EndangSpecies.aspx, or contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Service for information on listed threatened or endangered species. Consult the federal label for additional restrictions and precautions to protect listed species.
- Do not use this product within one mile of the known range of the pygmy rabbit (*Brachylagus idahoensis*). The pygmy rabbit is known to occur in southern Douglas County and may occur in northern Grant County.

WSDA CONTAINER DISPOSAL GUIDANCE:

Completely empty the contents of the paper container into application equipment, and apply to a labeled crop or site. The empty container may be disposed of in a sanitary landfill. Burning is not a legal method of container disposal in Washington.

This label for Prozap[®] Zinc Phosphide Pellets expires and must not be distributed or used in accordance with this SLN registration after December 31, 2016.

Rev. 05/04/2011

24(c) Registrant: HACCO, Inc. 110 Hopkins Drive Randolph, WI 53956



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

\$ 5-784745

January 23, 2006

Washington State Department of Agriculture P.O. Box 42589, Pesticide Management Division Olympia, WA 98504-2589

Attention: Mr. Erik W. Johansen

Subject Prozap® Zinc Phosphide Pellets

EPA SLN Reg. No. WA-050016

(Replacement for EPA SLN Reg. No. WA-950022)

EPA Reg. No. 61282-49

Your notification of September 15, 2005

Purpose This submission notifies us of your approval of a Special Local Need (SLN)

registration under section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) for use of zinc phosphide to control voles in cottonwood/hybrid popular plantations and adjacent non-crop areas.

Review We have reviewed this notification and found it acceptable

Questions If you have questions about this letter, please contact me at 703-305-5407

(phone); 703-305-6596 (fax); or peacock.dan@epa.gov (E-Mail).

Sincerely,

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Copy to Hacco, Inc.

P. O. Box 7190 Madison, WI 53716

Attention: Ms. Judith Thompson

File Dan Peacock, Flash Drive 1, 512 mb, E:\1-7-2005 Backup\Dan's Office Work\A Flash Drive

Location 1\Zinc Phosphide\WA-050016, 61282-49, replacement for WA-950022, 12-30-2005.doc

RESTRICTED USE PESTICIDE

DUE TO HAZARD TO NON-TARGET SPECIES

For retail sale to and use only by Certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON

Prozap® Zinc Phosphide Pellets

EPA Reg, No. 61282-49 EPA SLN No. WA-050016

DIRECTIONS FOR USE:

- It is a violation of Pederal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA registered label.

CROP/SITE:

 Cottonwood / hybrid poplar plantations and adjacent non-crop areas.

PESTS:

 Meadow voles (Microtus pennsylvanicus), mountain voles (M. montanus), long-tailed voles (M. longicaudus), and Oregon voles (M. Oregoni).

APPLICATION METHODS/RATE/TIMING:

• Broadcast Baiting: This product may be applied broadcast by aircraft, cyclone seeders, or by hand. When applying bait by hand (wear rubber gloves during hand broadcast applications) throw tablespoon amounts into heavy cover along the tree rows. Apply bait at rates of 5 to 10 pounds of bait per acre. Apply the product where infestations are known to be present and where there is sufficient cover to hide the pellets from plain view.

RESTRICTIONS / PRECAUTIONS:

- Do not apply to bare ground.
- This product is toxic to wildlife and fish. Birds and
 other wildlife feeding on treated pellets may be
 killed. Do not apply to open ground, roads and
 areas in which no vegetation occurs. Pick up and
 properly dispose of all spilled toxic pellets. Do not
 apply this product directly to water, or to areas
 where surface water is present or to intertidal areas

below the mean high water mark. Do not apply where runoff from this product will enter an aquatic system. Do not contaminate water when disposing of equipment washwaters. Check for and dispose of excess or spoiled pellets and carcasses daily until the pellets are expended or are removed.

- PROZAP[®] ZINC PHOSPHIDE PELLETS should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may contact the Washington Department of Fish & Wildlife, National Marine Pisheries Service or US Fish & Wildlife Service for information on listed threatened or endangered species. Consult the federal label for additional restrictions and precautions to protect listed species.
- Do not use this product within one mile of the known range of the pygmy rabbit (Brachylagus idahoensis). The pygmy rabbit is known to occur in southern Douglas County and may occur in northern Grant County.

WSDA CONTAINER DISPOSAL GUIDANCE

Completely empty the contents of the paper container into application equipment, and apply to a labeled crop or site. The empty container may be disposed of in a sanitary landfill. Burning is not a legal method of container disposal in Washington.

IMPORTANT: This product is sold subject to the conditions of sale stipulated on the container label and the use booklet labeling for PROZAP® ZINC PHOSPHIDE PELLETS, EPA Registration No. 61282-49.

This label for PROZAP® ZINC PHOSPHIDE PELLETS expires and must not be distributed or used in accordance with this SLN registration after December 31, 2010.

24(c) Registrant: HACCO, Inc. P.O. Box 7190 Madison, WI 53707

Revised: September 7, 2005

Dan - This mas · buried acour on DAN my desk. forry. Could you please tranger it to you? Thanks Ats gon.

SEND TO PEACOCK

NEW APPLICATIONS

DATE: 09/28/05
FILE NUMBER: WAOSau 16
FEP (OPPIN ENTRY) Po of/28/05 (Initial & date)
FILE ROOM: Les glorlos (Initial & date)
SIG: <u>SA 9/29/05</u> (Initial & date)
FILE ROOM: 04 9/30 (Initial & date)
/ ASSIGN TO PM of (NO DATA)
JACKET TO SHELF (DATA)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

September 28, 2005

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

WSDA Pesticide Management Division PO Box 42589 Olympia, WA 98504 2589

ATTN: Erik W. Johansen, Coordinator

Dear State Agency:

The Office of Pesticide Programs acknowledges receipt of the Section 24(c) application/notification for WA050016.

The package is being forwarded to the Product Manager for review.

To ensure that the Agency receives proper notification of your 24(c) applications/notifications it is necessary to us the correct mailing address. All new 24(c) applications should be sent to the following:

Document Processing Desk (SLN)
Office of Pesticide Programs - H7504C
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

If you have any questions concerning the administrative screening of the package please contact the Front End Unit at (703)305-7406.

Front End Processing Staff

Sincerely,

Information Services Branch

Information Technology & Resources Management Division



DEPARTMENT OF AGRICULTURE

PO Box 42560 • Olympia, Washington 98504-2560 • http://agr.wa.gov • (360) 902-1800

CERTIFIED

September 15, 2005

Document Processing Desk (SLN)
Office of Pesticide Programs - H7504C
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

RE: EPA SLN Reg. No. WA-050016

Enclosed is Washington Special Local Need (SLN) registration number WA-050016 issued to HACCO for the use of Prozap Zinc Phosphide Pellets (EPA Reg. No. 61282-49) on cottonwood / hybrid poplar plantations and adjacent non-crop areas for control of voles (*Microtus* spp.). This registration was issued under authority of Section 24(c) FIFRA.

This SLN registration is being issued as an eventual replacement for SLN registration number WA-950022 issued to HACO for the use of Prozap Zinc Phosphide Pellets (EPA Reg. No. 2393-521) on cottonwood / hybrid poplar plantations and adjacent non-crop areas for control of voles (*Microtus* spp.). Label directions and use rates for WA-050016 are consistent with WA-950022, and precautionary statements for WA050016 are consistent with current WSDA requirements.

Zinc phosphide is highly toxic to very highly toxic to small mammals, and highly toxic to birds. This is a concern in Washington, since the pygmy rabbit (*Brachylagus idahoensis*) is listed as an endangered species (federal and state). To address this concern, WSDA has required specific restrictions on the SLN label to protect the pygmy rabbit and other non-target organisms.

Tolerances are not required for this SLN registration, since the use of zinc phosphide on cottonwood / hybrid poplar plantations and adjacent non-crop areas is a non-food and non-feed use.

WSDA has issued this SLN registration with an expiration date of December 31, 2010.

The second secon

If you have any questions, please contact me at (360) 902-2078 or by e-mail at ejohansen@agr.wa.gov.

Rose Kachadoorian, ODA

Marco Guske, Yakama Nation

George Robinson, ISDA

Sincerely,

PESTICIDE MANAGEMENT DIVISION

Erik W. Johansen

Special Pesticide Registration Program Coordinator

enclosure

cc: Jane Thomas, WSU

Doug Walsh, WSU

Judy Thompson, HACCO

Dave Hays, WDFW

Page 2 of 2

SEPA

Form Approved, OMB No. 2070-0065

Office of Pesticide Programs, Registration Division (7505C)
Washington, DC 20460

Application for/Notification of State Registration of a Pesticide To Meet a Special Local Need

Registration No. Assigned WA - 0.500 6
Data Registration feated

Fungicide.	ection 24(c) of the Federal Insecticide, and Rodenticide Act, as Amended)	9/15/2005		
1. Name and Address of Applicant for Registration	2. Product is (Check one)			
HACCO, Inc.	EPA-Registered	EPA Registration Number		
P.O. Box 7190		61282-49		
Madison, WI 53707	New (not EPA-registered)	EPA Company Number		
	Ament SPA Power SE70-4, Confidential Statustrate of	61282		
0		The same of the sa		
	3. Active ingredient(e) in Product	****		
	Zinc Phosphide			
4. Product Name	5. If this is a food/feed use, a telerance or but	ser residue disarañça is		
Prozap Zinc Phosphide Pellets	required. Cite appropriate regulations in 49	GFR Part 180, 485, and/or		
	186.			
6. Type of Registration (Give details in Item 13 or on a separate	7. Nature of Special Local Need (check one) .			
page, properly identified and attached to this form):	These is an pastelda product registered by Myl	de graphi sma.		
d. To permit use of a new product.	There is no Eff-registered persoids product with			
1. To empted EPA registradistry for one or proper of the following purposes:	the State, would be as safe and/or as althouspect conditions of EPA regionates.	set more non second 2.6 ferum and		
(1) To promot user an additional crops or animals.	An application IPA replayment purchaside products	is not mediable.		
(2) To postell use at additional above.	S. If this registration is an amendment to an E			
(S) Yo parrie can against additional parry.	for a "new use" as defined in 40 CFR 152.			
(4) To partie use of michigand application techniques or equipment.				
	Yes (offenses in Name 12 below)			
(6) To purely use at different application rame,	S. Has an EPA Registerden or Experimental Use Per	will for this chemical over been		
(6) Other (specify buleve)	(clock applicable bax(se), if troown):	D		
10. Has FERA section 24(c) registration for this use of the	Sought Storand Duried			
product ever, by another State, been (check appropriate				
boxlee), if known):				
	11 Endoward Courter Acts (Obs. details in Item 1	*****		
Sought Passed Davied Revoked	11. Endangered Spacies Act: (Ohm details in Item 13 or on a separate page, properly blandfled and etwebod to this form)			
If any of the above are absolute, But States in laws 12 below.	klendly the counter where this postelds will be us	ed. If Statswide, Indicata "all."		
No PERIA seeds 24(c) Audon	Provide a list of Federally protected andangered/the	istened species which occur in		
Certification I cartify that the statements I have made on this form and all attechments	12. Indicate use stetus of Special Local Heed.	i.e., planned dates of		
therete are troe, accurate, and complete. I acknowledge that any	CHACL .			
knowingly false or relatending statement may be punishable by fine or	Fram: 09/10/05 To: 12/31//10			
implicament or both under applicable law.	branti - 100 to to to			
Ture of Applicant or Authorized Representative	13. Comments (attach additional cheet, if nee	ded)		
Jadit a Thompson	6) To permit use on Cottonwood/Poplar plantation	ons. Current product in Market		
Jadith a'll nomper	with this label has been transferred to us and thi	is is a replacement 24(c).		
Tide	11) There are endangered species consideration	ns and a notice listed on the		
Registration Manager, Rodenticides	Federal label. This product is a Restricted Use F			
Telephone Number Date				
21-1	The state of the s			
920/326-2477 8/31/05		A Supplemental Control		
Determin	nation by State Agency			
This registration is for a Special Local Road and is being leased in acce	rdence with rection 24(e) of FIFRA, as amanded. To the	he best of our		
knowledge, the information above to correct, except so noted in "Com-				
Neme, Title. and Address of State Agency Official Commo	nte (by State Agency Only)	Received by EPA		
	1 1			
Va	placement In	1		
	frence of the			
0	1 0/10-0	1		
6/1	placement for A-950022.			
Tretar) 1 , 1 , 1 , 1				
9// 1/1				
17				
Telephone Number				
1-				



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ms. Sharon Johnston Agent for J.T. Eaton & Co., Inc. 509 Tower Valley Dr. Hillsboro, MO 63050

NOV 1 5 2012

Dear Ms. Johnston:

Subject:

Addition of Alternate Confidential Statement of Formula

J.T. Eaton Bait Block Rodenticide With Peanut Butter Flavorizer

EPA Registration No. 56-42

Your submission dated September 18, 2012

The confidential statement of formula dated September 18, 2012 for alternate formulation 1 has been reviewed and is acceptable. If you have any questions, please contact Jennifer Gaines at (703) 305-5967 or by e-mail, gaines.jennifer@epa.gov.

Sincerely yours,

John/Hebert

Product Manager (07)

Insecticide-Rodenticide Branch Registration Division (7505P)



September 18, 2012

Document Processing Desk (AMEND) Insecticide-Rodenticide Branch Registration Division (7504P) Office of Pesticide Programs US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

ATTN:

John Hebert

Product Manager 07

SUBJECT:

APPLICATION FOR PESTICIDE AMENDMENT - NON-PRIA ACTION

Submission of Alternate Confidential Statement of Formula

J.T. Eaton Bait Block Rodenticide with Peanut Butter Flavorizer; EPA Reg. No. 56-42

Dear Mr. Hebert:

Enclosed, please find an alternate confidential statement of formula for the above-subject product. We are submitting this application to make a direct substitution of red millet with white millet. Due to major crop failure, red millet will not be available for 2013 production. White millet will be in short supply but should be available in sufficient quantities to satisfy our production requirements.

We do not believe this substitution will affect the physical/chemical properties, acute toxicity or efficacy of the formulation as the two ingredients are very similar and comprise less than 10% of the formula.

We request expedited review in order to plan production for the upcoming year. Thank you in advance for your attention to this matter. If you have any questions, please do not hesitate to contact me at (636) 942-2583.

Sincerely,

Sharon M. Johnston Regulatory Consultant

Agent for J.T. Eaton & Co., Inc.

Enclosures

cc: Ben Baker; J.T. Eaton


FAST-TRACK AMENDMENTS – Completeness Screening Checklist

I	Expert's In-Processing Signature: Schouls Date: 9/21/12	PM #:	7	
EPA	Reg. Number: 56-42 EPA Receipt Date: 9/29/1	L	1	
	Checklist Item	Yes	No	N/A
1	Application Form (EPA Form 8570-1) - signed?	V		
2	Confidential Statement of Formula (EPA Form 8570-29) - signed?	V		
3	Certification with Respect to Citation of Data (EPA Form 8570-34) - signed?			
4	Formulator's Exemption Statement (EPA Form 8570-27) - signed?			/
5	Data Matrix (EPA Form 8570-35) [Applicable for adding me-too uses] - signed?			1
3	a) Selective Method?			
	b) Cite-All Method?			
	c) Public copy of Matrix provided? See PR Notice 98-5		1	
6	Is Label included? (5 copies)			/
	a) Electronic Label submitted?			
	Comments: Ments review needed Inerts approved for the intended use, A-Debosai 10.23.12			

Fee for Service

{924103i~

This package includes the following	for Division
New RegistrationAmendmentStudies?Fee Waiver?	O AD O BPPD O RD
volpay % Reduction:	Risk Mgr. 7
Receipt No. S-	924103
EPA File Symbol/Reg. No.	56-42
Pin-Punch Date:	9/20/2012
This item is NOT subject to	o FFS action.
Action Code:	Parent/Child Decisions:
Requested:	
Granted:	
Amount Due: \$	
Inert Cleared for Intended Use	Uncleared Inert in Product
Reviewer:	> Date: _ \(\frac{\sqrt{-21-12}}{}
Remarks:	





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

September 21, 2012

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

BENJAMIN H. BAKER J.T. EATON & CO., INC. 1393 E. HIGHLAND ROAD TWINSBURG, OH 44087

PRODUCT NAME: BAIT BLOCK RODENTICIDE WITH PEANUT BUTTER

FLAVORIZER

COMPANY NAME: J.T. EATON & CO., INC.

OPP IDENTIFICATION NUMBER:

EPA FILE SYMBOL: 56-42 EPA RECEIPT DATE: 09/20/12

SUBJECT: RECEIPT OF AMENDMENT

DEAR REGISTRANT:

The Office of Pesticide Programs has received your application for an amendment and it has passed an administrative screen for completeness.

During the initial screen we determined that the application appears to qualify for fast track review. The package will now be forwarded to the Product Manager for review to determine its acceptability for fast track status.

If you have any questions, please contact Registration Division, Risk Management Team 7, at (703) 308-6249.

Sincerely,

Front End Processing Staff Information Services Branch

Information Technology & Resources Management Division

\$EPA	Environmenta	United States I Protection Ington, DC 20	-	ency		1	Registr Amend Other		OPP Identifier Number
		Application	on for	Pestic	ide - Sec	ction	1		
1. Company/Product Number	56-42				Product Ma	11000		3. P	roposed Classification
4. Company/Product (Name			e with	PM#	7			-	None Restricte
5. Name and Address of Ap J.T. Eaton & Compar 1393 E. Highland Ro Twinsburg, OH 4408	plicant <i>(Include ZIP C</i> ny, Inc. ad			(b)(i), to: EPA		is sim	ilar or ider	ntical in c	h FIFRA Section 3(c)(3) omposition and labeling
			Se	ction -					
Amendment - Explain Resubmission in resp Notification - Explain	oonse to Agency lette	r dated			Final print Agency le "Me Too" Other - Ex	Applica	ation.	se to	
1. Material This Product Wil	I Pa Dankagad Inc.		Sec	ction -	III				
Child-Resistant Packaging	Unit Packaging	-	Wate	r Soluble	Packaging		2. Type o	f Containe	ır
Yes ✓ No	Yes ✓ No		1	Yes No			1	Metal Plastic Glass	
* Certification must be submitted	If "Yes" Unit Packaging wgt	No. per container	If "Ye Pack	es" age wgt	No. per contain			Paper Other	(Specify)
3. Location of Net Contents ✓ Label	Information Container	4. Size(s) Re		oiner 50.0 lbs		5. Lo	on labe		ions
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stence	glued iled		Oth	er			
			Sec	tion -	IV				
1. Contact Point (Complete	items directly below	for identification	on of indi	ividual to	be contacted	, if nec	essary, to p	rocess thi	is application.)
Name Sharo	n M. Johnston		Title	Reg	ulatory Cons	sultant		Telephon	(636) 942-2583
I certify that the state I acknowledge that ar both under applicable	y knowlingly false or		all attac	hments ti	nereto are tru	ie, acci			6. Date Application Received (Stamped)
2. Signature			3. Title		Regulatory	Consult	ant		1.7.

5. Date

Sharon M. Johnston

4. Typed Name

September 18, 2012

Material Sent for Data Extraction

Reg. #
Description: And Approval
Material(s) Sent to Data Extraction Contractors:
New Stamped Label Dated 9-17-2012
Notification Dated
New CSF(s) Dated
☐ Other:
Decision #: 468192
Other Action/Comments:
File this coversheet and attached materials in the jacket. It must be well organized and clipped together, NOT STAPLED. Then give the jacket with the coversheet and materials to staff in the Information Services Center (ISC) (Room S-4900). If a jacket is full or only available as an image, please file materials in a new jacket and bring down to the (ISC). For further information please call 703-605-0716.
Reviewer: Dan Peacock
Phone: 305-5407 Division: RD
Date: 9/17/2012



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVETION

Decision 468192 300 5-923760

J.T. Eaton & Co., Inc. c/o RegGuide 509 Tower Valley Drive Hillsboro, MO 63050 SEP 1 7 2012

Attention: Ms. Sharon M. Johnston

Subject J.T. EatonTM Bait Block® Rodenticide with Peanut Butter FlavorizerTM

EPA Reg. No. 56-42

Changes to Use Restrictions (100 Foot Restriction)

Your amended application of July 18, 2012

Purpose This submission updates the text to conform to the revised Risk Mitigation

Decision for Ten Rodenticides, under sec 3 of the Federal Insecticide,

Fungicide, and Rodenticide Act (FIFRA).

Label The labeling submitted with the above letter is acceptable, provided you

submit one (1) copy of final printed labeling to us, before you ship your

product.

Existing stocks The registrant may distribute or sell existing stocks of this product with

current labeling for eighteen (18) months from the date of this letter.

Consequence

for noncompliance If these conditions are not complied with, the registration will be subject to

cancellation in accordance with FIFRA section 6(e). Your release for

shipment of the product constitutes acceptance of these conditions.

Questions

If you have questions about this letter, please contact Dan Peacock at 703-305-5407 (phone) or peacock.dan@epa.gov (E-Mail).

Sincerely,

John Hebert

Product Manager (07)

Insecticide-Rodenticide Branch Registration Division (7505P)

- Welent

Enclosures

1. Stamped Label

2. Minimum Type Sizes for Final Printed Labels

56-42: Page 1 of 4 09/05/2012

000056-00042.20120905

J.T. EATON™

BAIT BLOCK® RODENTICIDE with PEANUT BUTTER FLAVORIZER™

KILLS NORWAY RATS, ROOF RATS & HOUSE MICE

Active Ingredient:

 Diphacinone (CAS# 82-66-6)
 0.005%

 Other Ingredients
 99.995%

 Total
 100.000%

 ACCEPTED

Under the Federal Insecticide, Fungicide,

SEP 17 2012

EPA Reg. No. 56-42

and Abaeriticide Act, as amended, for the

Keep Out of Reach of Childrenticide registered under:

CAUTION

See side [back] panel for additiona Epiecherjo May statements 56-42

J.T. Eaton & Co., Inc. 1393 East Highland Road Twinsburg, OH 44087

Contains Natural Peanut Butter

Net Contents: 4 to 50 lbs

Contains: 32 x 2 oz. Bait Blocks to 400 x 2 oz. Bait Blocks

J.T. Eaton and Flavorizer are Trademarks of J.T. Eaton & Co., Inc. Bait Block is a registered trademark of J.T. Eaton & Co., Inc.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Keep away from children, domestic animals and pets.

Personal Protective Equipment (PPE):

All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements:

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
- As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

	FIRST AID Have the label with you when obtaining treatment advice.
If Swallowed	 Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
If on Skin or Clothing	 Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.

TREATMENT FOR PET POISONING

If animal eats bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Diphacinone: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. **For humans or dogs** that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K_1 intramuscularly or orally.

Environmental Hazards

This pesticide is toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

56-42: Page 3 of 4 09/05/2012

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL. Read this entire label and follow all use directions and use precautions. Use only for sites, pests and application methods described on this label.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use, in a location out of reach of children and pets.

- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife or in "tamper-resistant" bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait states must be used if children, pets, non-target mammals or birds may access the bait.

USE RESTRICTIONS

This product can only be used to control Norway rats, roof rats and house mice *in and within* 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. Do not place near or inside ventilation duct openings. This product must not be applied directly to food or feed crops. Do not contaminate water, food, feedstuffs, food or feed handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use in sewers. Burrow baiting with this product is prohibited.

Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls or in locations where signs of rodents have been seen. Protect bait from rain or snow. Remove as much foodstuff as possible from the area to be baited.

APPLICATION DIRECTIONS

Rats: Apply 2 to 8, two-ounce blocks (4 to 16 ounces) per placement. Space placements at intervals of 15 to 30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of rat activity cease to appear.

Mice: While wearing waterproof gloves, break each 2 oz. block into 3 pieces and place 1 or 2 pieces at 8 to 10 foot intervals. Larger placements (up to 3 pieces (2 oz.)) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of mouse activity cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborages as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish with fresh bait as often as needed.

56-42: Page 4 of 4 09/05/2012

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container.

[Plastic] Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration. [Paper] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Product	Batch	Code	No.	



Re: Fw: Labeling Comments on 56-42, 56-58, 56-70, 56-74

SJohns1825 to: Dan Peacock

09/05/2012 04:37 PM

Dan,

Attached are revised labels incorporating your changes for each of the listed products. I did make one additional change to the 56-74 label. I deleted the sentence immediately after ... "as defined, is prohibited." that states "This product is especially suited for wet or damp areas." In discussions with J. T. Eaton after submitting these, it was determined that this statement is not appropriate for this formulation.

Please let me know if you need anything further.

Thanks!

Sharon M. Johnston RegGuide 509 Tower Valley Drive Hillsboro, MO 63050 TEL: (636) 942-2583 Cell: (314) 520-8554

Fax: (636) 948-9720

e-mail: Johnston@RegGuide.net OR sjohns1825@aol.com

In a message dated 9/5/2012 2:20:19 P.M. Central Daylight Time, Peacock.Dan@epamail.epa.gov writes: Dear Ms. Johnston,

After sending the earlier E-Mail, I found an error in the heading for 56-74. I have corrected that error in this E-Mail.

Thank You.

Daniel B. Peacock, Biologist

Tel: 703-305-5407 Fax: 703-308-0029

E-Mail: peacock.dan@epa.gov

Addresses:

United States Postal Service (USPS): USEPA, Insecticide-Rodenticide Branch, Registration Division (7504P), 1200 Pennsylvania Ave. NW, Washington, DC 20460-0001

Courier Deliveries: USEPA, Insecticide-Rodenticide Branch, Registration Division, Room S-4900, One Potomac Yard, 2777 Crystal Drive, Arlington, VA 22202

----Forwarded by Dan Peacock/DC/USEPA/US on 09/05/2012 03:18PM -----

To: SJohns1825@aol.com

From: Dan Peacock/DC/USEPA/US

Date: 09/05/2012 03:16PM

Subject: Labeling Comments on 56-42, 56-58, 56-70, 56-74

(See attached file: Labeling Comments on 56-42, 56-58, 56-70, 56-74, 9-5-2012.docx)

Dear Ms. Johnston,

Here are my label comments on these 4 products. Please submit E Labels for faster processing. If you have questions, let me know.

Thank You,

Daniel B. Peacock, Biologist

Tel: 703-305-5407 Fax: 703-308-0029

E-Mail: peacock.dan@epa.gov

Addresses:

United States Postal Service (USPS): USEPA, Insecticide-Rodenticide Branch, Registration Division (7504P), 1200 Pennsylvania Ave. NW, Washington, DC 20460-0001

Courier Deliveries: USEPA, Insecticide-Rodenticide Branch, Registration Division, Room S-4900, One Potomac Yard, 2777 Crystal Drive, Arlington, VA 22202





000056-00042-20120905 label draft.doc 000056-00058-20120905 label draft.doc





000056-00070-20120905 label draft.doc 000056-00074-20120905 label draft.doc



Fw: Labeling Comments on 56-42, 56-58, 56-70, 56-74

Dan Peacock to: SJohns1825

09/05/2012 03:20 PM

Dear Ms. Johnston,

After sending the earlier E-Mail, I found an error in the heading for 56-74. I have corrected that error in this E-Mail.

Thank You,

Daniel B. Peacock, Biologist

Tel: 703-305-5407 Fax: 703-308-0029

E-Mail: peacock.dan@epa.gov

Decision 468192

300 5-920789

Addresses:

United States Postal Service (USPS): USEPA, Insecticide-Rodenticide Branch, Registration Division (7504P), 1200 Pennsylvania Ave. NW, Washington, DC 20460-0001

Courier Deliveries: USEPA, Insecticide-Rodenticide Branch, Registration Division, Room S-4900, One Potomac Yard, 2777 Crystal Drive, Arlington, VA 22202

----Forwarded by Dan Peacock/DC/USEPA/US on 09/05/2012 03:18PM -----

To: SJohns1825@aol.com

From: Dan Peacock/DC/USEPA/US

Date: 09/05/2012 03:16PM

Subject: Labeling Comments on 56-42, 56-58, 56-70, 56-74

(See attached file: Labeling Comments on 56-42, 56-58, 56-70, 56-74, 9-5-2012.docx)

Dear Ms. Johnston,

Here are my label comments on these 4 products. Please submit E Labels for faster processing. If you have questions, let me know.

Thank You.

Daniel B. Peacock, Biologist

Tel: 703-305-5407 Fax: 703-308-0029

E-Mail: peacock.dan@epa.gov

Addresses:

United States Postal Service (USPS): USEPA, Insecticide-Rodenticide Branch, Registration Division (7504P), 1200 Pennsylvania Ave. NW, Washington, DC 20460-0001

Courier Deliveries: USEPA, Insecticide-Rodenticide Branch, Registration Division, Room S-4900, One Potomac Yard, 2777 Crystal Drive, Arlington, VA 22202



Labeling Comments on 56-42, 56-58, 56-70, 56-74, 9-5-2012.docx

Amendments Dated July 18, 2012 Labeling Comments on 56-42, 56-58, 56-70, and 56-74, by Dan Peacock, Sep 5, 2012

Comments on 56-42, Diphacinone, Block Formulation

- 1. In "USE RESTRICTIONS", italicize "in and within".
- V2. Place a comma (,) after "as defined above" and "is prohibited".
- ✓ 3. Submit an electronic version of revised label for faster processing.

Comments on 56-58, Chlorophacinone, Non-Sachet/Non-Placepack Packaging with Granular or Pellet Formulation)

- 1. In "USE RESTRICTIONS", italicize "in and within".
- 2. Place a comma (,) after "as defined above" and "is prohibited".
- 3. Under "BURROW BAITING", italicize "within or beyond"
- 4. Submit an electronic version of revised label for faster processing.

Comments on 56-70, Chlorophacinone, Place Pack Packaging

- 1. In "USE RESTRICTIONS", italicize "in and within".
- 2. Place a comma (,) after "as defined above" and "is prohibited".
- 3. Submit an electronic version of revised label for faster processing.

Comments on 56-74, Diphacinone, Block Formulation

- 1. In "USE RESTRICTIONS", italicize "in and within".
- 2. Place a comma (,) after "as defined above" and "is prohibited".
- 3. Submit an electronic version of revised label for faster processing.

Dan Peacock, F:\DBP Documents\Backup, 16gb Flash Drive\Diphacinone\Registration Actions\56-42\Labeling Comments on 56-42, 56-58, 56-70, 56-74, 9-5-2012.docx

7 co agent Marked Gp 9/5/2012 connects

BAIT BLOCK® RODENTICIDE with PEANUT BUTTER FLAVORIZER™

KILLS NORWAY RATS, ROOF RATS & HOUSE MICE

Some

Active Ingredient:

Diphacinone (CAS# 82-66-6) Other Ingredients ______99.995%

> EPA Reg. No. 56-42 EPA Est. No.

Keep Out of Reach of Children CAUTION

See side [back] panel for additional precautionary statements.

J.T. Eaton & Co., Inc. 1393 East Highland Road Twinsburg, OH 44087

Contains Natural Peanut Butter

Net Contents: 4 to 50 lbs

Contains: 32 x 2 oz. Bait Blocks to 400 x 2 oz. Bait Blocks

J.T. Eaton and Flavorizer are Trademarks of J.T. Eaton & Co., Inc. Bait Block is a registered trademark of J.T. Eaton & Co., Inc.



56-42: Page 2 of 4 07/18/2012

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Keep away from children, domestic animals and pets.

Personal Protective Equipment (PPE):

All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements:

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use
 detergent and hot water. Keep and wash PPE separately from other laundry.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
- As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

	FIRST AID Have the label with you when obtaining treatment advice.
If Swallowed	 Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
If on Skin or Clothing	 Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.

TREATMENT FOR PET POISONING

If animal eats bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Diphacinone: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K₁ intramuscularly or orally.

Environmental Hazards

This pesticide is toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL. Read this entire label and follow all use directions and use precautions. Use only for sites, pests and application methods described on this label.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

Store product not in use, in a location out of reach of children and pets.

- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife or in "tamperresistant" bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait states must be used if children, (2) (3) E-Lehr pets, non-target mammals or birds may access the bait.

USE RESTRICTIONS

This product can only be used to control Norway rats, roof rats and house mice in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to barboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above is prohibited. Do not place near or inside ventilation duct openings. This product must not be applied directly to food or feed crops. Do not contaminate water, food, feedstuffs, food or feed handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamperresistant bait stations. Do not broadcast bait. Do not use in sewers. Burrow baiting with this product is prohibited.

Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls or in locations where signs of rodents have been seen. Protect bait from rain or snow. Remove as much foodstuff as possible from the area to be baited.

APPLICATION DIRECTIONS

Rats: Apply 2 to 8, two-ounce blocks (4 to 16 ounces) per placement. Space placements at intervals of 15 to 30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of rat activity cease to appear.

Mice: While wearing waterproof gloves, break each 2 oz. block into 3 pieces and place 1 or 2 pieces at 8 to 10 foot intervals. Larger placements (up to 3 pieces (2 oz.)) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of mouse activity cease to appear. Follow-up: Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all

dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborages as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish with fresh bait as often as needed.

56-42: Page 4 of 4 07/18/2012

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.


Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container.

[Plastic] Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration. [Paper] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Product	Batch	Code	No.	
		0000		



J.T. EATON™

BAIT BLOCK® RODENTICIDE with PEANUT BUTTER FLAVORIZER™

This product may only be used inside and within 50 feet of buildings or inside of transport vehicles (ships, trains or aircraft).

KILLS NORWAY RATS, ROOF RATS & HOUSE MICE

Active Ingredient:

 Diphacinone (CAS# 82-66-6)
 0.005%

 Other Ingredients
 99.995%

 Total
 100.000%

EPA Reg. No. 56-42

EPA Est. No.

Keep Out of Reach of Children CAUTION

See side [back] panel for additional precautionary statements.


J.T. Eaton & Co., Inc. 1393 East Highland Road Twinsburg, OH 44087

Contains Natural Peanut Butter

Net Contents: 4 to 50 lbs

Contains: 32 x 2 oz. Bait Blocks to 400 x 2 oz. Bait Blocks

J.T. Eaton and Flavorizer are Trademarks of J.T. Eaton & Co., Inc. Bait Block is a registered trademark of J.T. Eaton & Co., Inc.



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Keep away from children, domestic animals and pets.

Personal Protective Equipment (PPE):

All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements:

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
- As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

	FIRST AID Have the label with you when obtaining treatment advice.
If Swallowed	 Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
If on Skin or Clothing	 Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.

TREATMENT FOR PET POISONING

If animal eats bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Diphacinone: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K₁ intramuscularly or orally.

Environmental Hazards

This pesticide is toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL. Read this entire label and follow all use directions and use precautions. Use only for sites, pests and application methods described on this label.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use, in a location out of reach of children and pets.

- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife or in "tamper-resistant" bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait states must be used if children, pets, non-target mammals or birds may access the bait.

USE RESTRICTIONS

This product may can only be used for to control of Norway rats, roof rats and house mice in and around within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites, and similar man-made structures. Fence and perimeter baiting, beyond 100 feet from a structure as defined above is prohibited. Do not apply further than 50 feet from buildings. Do not place near or inside ventilation duct openings. This product must not be applied directly to food or feed crops. Do not contaminate water, food, feedstuffs, food or feed handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use in sewers. Burrow baiting with this product is prohibited.

Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where signs of rodents have been seen. Protect bait from rain or snow. Remove as much foodstuff as possible from the area to be baited.

APPLICATION DIRECTIONS

Rats: Apply 2 to 8, two-ounce blocks (4 to 16 ounces) per placement. Space placements at intervals of 15 to 30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of rat activity cease to appear.

Mice: While wearing waterproof gloves, break each 2 oz. block into 3 pieces and place 1 or 2 pieces at 8 to 10 foot intervals. Larger placements (up to 3 pieces (2 oz.)) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of mouse activity cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborages

as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish with fresh bait as often as needed.

56-42: Page 4 of 4 07/18/2012

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.


Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container.

[Plastic] Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration. [Paper] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Product	Batch	Code	No.	
---------	-------	------	-----	--



FAST-TRACKAMENDMENTS - Completeness Screening Checklist

I	Expert's In-Processing Signature: 2. tatub Date: 7/31/12	PM #:	7	
EPA	Reg. Number: 56-92 EPA Receipt Date: 7/2	4/12		
	Checklist Item	Yes	No	N/A
1	Application Form (EPA Form 8570-1) - signed?	P		
2	Confidential Statement of Formula (EPA Form 8570-29) - signed?			y
3	Certification with Respect to Citation of Data (EPA Form 8570-34) - signed?			×
4	Formulator's Exemption Statement (EPA Form 8570-27) - signed?			y
5	Data Matrix (EPA Form 8570-35) [Applicable for adding me-too uses] - signed?			p
	a) Selective Method?			
	b) Cite-All Method?	-		
The state of	c) Public copy of Matrix provided? See PR Notice 98-5	1		
6	Is Label included? (5 copies)	Y		
	a) Electronic Label submitted?			

Comments:



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

July 27, 2012

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

BENJAMIN H. BAKER J.T. EATON & CO., INC. 1393 E. HIGHLAND ROAD TWINSBURG, OH 44087

PRODUCT NAME: BAIT BLOCK RODENTIICDE WITH PEANUT BUTTER

FLAVORIZER

COMPANY NAME: J.T. EATON & CO., INC.

OPP IDENTIFICATION NUMBER:

EPA FILE SYMBOL: 56-42

EPA RECEIPT DATE: 07/24/12

SUBJECT: RECEIPT OF AMENDMENT

DEAR REGISTRANT:

The Office of Pesticide Programs has received your application for an amendment and it has passed an administrative screen for completeness.

During the initial screen we determined that the application appears to qualify for fast track review. The package will now be forwarded to the Product Manager for review to determine its acceptability for fast track status.

If you have any questions, please contact Registration Division, Risk Management Team 7, at (703) 308-6249.

Sincerely,

Front End Processing Staff

Information Services Branch

Information Technology & Resources Management Division

Fee for Service

{920789[~

This package includes the following	for Division				
 New Registration Amendment Studies? Fee Waiver? volpay % Reduction: 	○ AD ○ BPPD ○ RD Risk Mgr. 7				
Receipt No. S- EPA File Symbol/Reg. No. Pin-Punch Date:	920789 56-42 7/24/2012				
This item is NOT subject t	o FFS action.				
Action Code: Requested: Granted: Amount Due: \$	Parent/Child Decisions:				
Inert Cleared for Intended Use Reviewer: Remarks:	Uncleared Inert in Product Date: 7/26/12				

MS

RegGuide

July 18, 2012

Document Processing Desk (AMEND) Insecticide-Rodenticide Branch Registration Division (7504P) Office of Pesticide Programs US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

ATTN: Da

Dan Peacock

PM Team 7

SUBJECT:

Submission of Revised Labeling per EPA Rodenticide memos dated March 14 & March 20, 2012

J.T. Eaton Bait Block Rodenticide with Peanut Butter Flavorizer; EPA Reg. No. 56-42

Dear Mr. Peacock:

Enclosed, please find 5 copies of revised draft labeling for the above-subject product. I have included a marked copy to facilitate review. These label changes are being made in response to the subject memos revising certain language required by the rodenticide risk mitigation decision.

If you have any questions, please do not hesitate to contact me at (636) 942-2583.


Sincerely,

Sharon M. Johnston Regulatory Consultant

Agent for J.T. Eaton & Co., Inc.

Enclosures

cc: Ben Baker; J.T. Eaton



Tel: 636-942-2583

Fax: 636-948-9720

e-mail: Johnston@RegGuide.net

\$EPA	United States Environmental Protection Agency Weshington, DC 20460				1	Registr Amend Other		OPP Identifier Number			
		Applicati	on for I	Pestici	de - Sec	tion	1				
1. Company/Product Number	. Company/Product Number 56-42			2. EPA Product Mar Dan Peacock					Proposed Classification None Restricted		
4. Company/Product (Name	J.T. Eaton Bait Blo Peanut Butter Fla		de with	PM# 7							
5. Name and Address of Ap J.T. Eaton & Compar 1393 E. Highland Ro Twinsburg, OH 4408	ny, Inc.	ode)		(b)(i), n to: EPA	ny product	is sim	nilar or ide		FIFRA Section 3(c)(3) omposition and labeling		
onder it die	7.0 4 77011 44407400		Sac	tion -	ct Name			7.6			
Notification - Explain Explanation: Use addition Submission of revised labelia e-mail: Johnston@RegGuid Fax: 636-948-9720	nal page(s) if necessa	ry. (For section			"Me Too" A	olain be					
	PIPE.		Sect	ion - I	II						
1. Material This Product Wil	Be Packaged In:										
Child-Resistant Packaging Yes No	Yes Yes ✓ No		1	Vater Soluble Packaging Yes ✓ No F"Yes" No. per			2. Type o	Metal Plastic Glass	Metal Plastic		
* Certification must be submitted	If "Yes" Unit Packaging wgt	No. per t. container	Packag		containe	r			Specify)		
3. Location of Net Contents Information 4. Size(s) R ✓ Label Container		4.0 - 50		1	5. Lo]	abel Direction	ons			
6. Manner in Which Label is	Affixed to Product	Litho Pape Stend	graph r glued ciled		Othe	r					
			Sect	ion - l'	V			1			
1. Contact Point (Complete	items directly below	for identificati	on of indivi	idual to b	e contacted,	if nec	essary, to p	process this	application.)		
Name Sharo	n M. Johnston		Title	Regu	atory Cons	ultant			e No. (Include Area Code) (636) 942-2583		
I certify that the state I acknowledge that ar both under applicable	y knowlingly false or		d all attach						6. Date Application Received (Stamped)		
2. Signature			3. Title		Regulatory C	Consult	ant				

5. Date

Sharon M. Johnston

July 18, 2012